| S23<br>8 | 0    | "5715455".pn. and word  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR · | OFF | 2005/07/27 14:13 |
|----------|------|---|---|------|-----|------------------|
| S23<br>9 | 2    | "5732402".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/27 14:27 |
| S24<br>0 | 1    | 707/205 and (count same (contiguous near2 bit))                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/27 14:28 |
| S24<br>1 | 27   | 707/205 and (count with bit)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/27 14:39 |
| S24<br>2 | 13   | 707/205 and (file near2 allocation) and (word with bits)                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/27 14:40 |
| S24<br>3 | 13   | 707/205 and (file near2 allocation) and (word with bits)                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 14:44 |
| S24<br>4 |      | bitmap and (file near2 allocation)<br>and (word with bits)                        | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 15:06 |
| S24<br>5 | 1341 | (query near2 object)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 15:06 |
| S24<br>6 | 409  | (query near2 object) and (create\$ with query)                                    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 15:06 |
| S24<br>7 | 2    | (query near2 object) and<br>(((create\$ with query) with<br>attribute) same user) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 15:07 |
| S24<br>8 | 1    | (query near2 image) and (((create\$ with query) with attribute) same user)        | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2005/07/27 15:08 |

| S24<br>9 | 45   | (query near2 image) and ((create\$ with query) same user)      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 15:17 |
|----------|------|--|--|----|-------|------------------|
| S25<br>0 | . 2  | "5579471":pn.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 15:18 |
| S25<br>1 | 114  | QBIC and (image near2 query)                                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF . | 2005/07/27 15:18 |
| S25<br>2 | 13   | QBIC and (user same (image near2 query) same attribute)        | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 16:11 |
| S25<br>3 | 2    | "5579479".pn.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 16:12 |
| S25<br>4 | 2    | "5579471".pn.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 18:05 |
| S25<br>5 | 1341 | (query near2 object)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/27 18:05 |
| S25<br>6 | 3    | S255 and (drag\$3 with object with template)                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/28 12:23 |
| S25<br>7 | 8504 | (file or object or item) same<br>template                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/28 12:27 |
| S25<br>8 | 110  | (file or object or item) same<br>template same drop            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/28 12:27 |
| S25<br>9 | 3    | (file or object or item) same<br>template same drop same query | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/28 13:06 |
| S26<br>0 | 20   | 715/769 or 715/968   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF   | 2005/07/28 13:06 |

| S26<br>1 | 298  | 715/769\$.ccls. or 715/968\$.ccls.   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:07 |
|----------|------|--|--|------|-----|------------------|
| S26<br>2 | 2    | S261 and ((drap or drop) same template)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:07 |
| S26<br>3 | 24   | S261 and ((drap or drop)) and attributes and query   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:08 |
| 526<br>4 | 3    | S261 and ((drap or drop)) and attributes and query and templates                                   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:10 |
| S26<br>5 | 5    | S261 and ((drap or drop)) and attributes and query and template                                    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:43 |
| S26<br>6 | 0    | "6567846".pn. and drap   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:43 |
| S26<br>7 | 1    | "6567846".pn. and drop\$   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR · | OFF | 2005/07/28 13:53 |
| S26<br>8 | 1976 | 715/764\$.ccls. or 715/853\$.ccls.<br>or 715/854\$.ccls. or 715/769\$.<br>ccls. or 715/835\$.ccls. | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:54 |
| S26<br>9 | 3    | S268 and (template near2 folder)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:58 |
| S27<br>0 | 7    | S268 and (template with folder)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:58 |
| S27<br>1 | 0    | S268 and ((drap-drop\$2) same<br>(template with folder))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:59 |
| S27<br>2 | 0    | ((drap-drop\$2) same (template<br>with folder))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 13:58 |

| S27<br>3  | 1  | S268 and (drop\$ same (template with folder))                     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:01 |
|-----------|----|---|--|------|-----|------------------|
| S27<br>4  | 11 | (drop\$ same (template with folder))                              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:02 |
| S27<br>5  | 0  | (drap\$3 same (template with folder))                             | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:03 |
| S27<br>6  | 0  | (drap same (template with folder))                                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:03 |
| S27-<br>7 | 0  | (drap-drop[ same (template with folder))                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | OFF | 2005/07/28 14:03 |
| S27<br>8  | 0  | (drap-drop same (template with folder))                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:03 |
| S27<br>9  | 8  | (copy same (template with folder))                                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:29 |
| S28<br>0  | 2  | (query same (template with folder))                               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:30 |
| S28<br>1  | 1  | (query same (template near2 folder))                              | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:30 |
| S28<br>2  | 14 | (object same (template near2<br>folder))                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:31 |
| S28<br>3  | 0  | (object same (template near2 folder)) and (run near2 query)       | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:31 |
| S28<br>4  | 0  | (object same (template near2<br>folder)) and (create near2 query) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/07/28 14:31 |

| S28<br>5 | 3 | (object same (template near2 folder)) and query | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | OR . | OFF | 2005/07/28 15:44 |
|----------|---|---|--|------|-----|------------------|
|----------|---|---|--|------|-----|------------------|



Web Images Groups News Froogle Local more » Advanced Search query object and QBIC Search

The "AND" operator is unnecessary – we include all search terms by default. [details]

Web

Results 1 - 10 of about 14,800 for query object and QBIC . (0.33 seconds)

Preferences

# QBIC (Query By Image Content)

QBIC (Query By Image Content) ... Query on features is allowed on objects (eg "find images with red, round objects") or scenes (eg"find images that have ... www.isy.liu.se/cvl/Projects/ VISIT-bjojo/survey/surveyonCBIR/node26.html - 8k - Cached - Similar pages

## Image Databases

It provides a measure of the difference of query objects and unknown objects. ... QBIC stands for Query by Image Content; it was developed and manufactured ... www.loyola-nyc.org/Faculty/Alpi/image.html - 19k - Cached - Similar pages

## Can **QBIC** Be Made Faster? (notes)

(each vector may represent one or more features of the object); a query object q with ... Given a query vector vq, current QBIC method is (essentially): ... www.cse.unsw.edu.au/~jas/talks/qbic/notes.html - 22k - Cached - Similar pages

#### CS545I Note 1

10 QBIC (TM) - Query by Image Content. \* What is QBIC. The QBIC (Query By Image Content) project at IBM's Almaden Research Center is studying methods to ... www-db.stanford.edu/dbseminar/ Archive/WinterY96/note1.html - 10k - Cached - Similar pages

# Query by Image and Video Content: The QBIC System

QBIC can find "fish-shaped objects," since shape is a measurable property that can ... QBIC system overview; Database population; Sample queries; References ... doi.ieeecomputersociety.org/10.1109/2.410146 - Similar pages

## [PDF] The Query By Image Content (QBIC) System

File Format: PDF/Adobe Acrobat

and image objects. For example, a user can query for, images with, a green background ... and resub-. mit queries. QBIC. runs on an RS 6000 with AIX ... portal.acm.org/ft\_gateway.cfm?id=223888&type=pdf - Similar pages

## рет Image Retrieval: Current Techniques, Promising Directions, and ...

File Format: Microsoft Powerpoint 97 - View as HTML

Like QBIC, supports queries based on color, layout, texture ... Matching spatial relationships between objects and visual features together result in a ... www.csee.umbc.edu/~pmundur/courses/ CMSC691M-04/deep-CBIRImageRetrieval.ppt - Similar pages

#### грртј www.sims.berkeley.edu/courses/is296a-3/f98/lecture...

File Format: Microsoft Powerpoint 97 - View as HTML

QBIC's shape description doesn't capture the essence of objects, just the appearance of one ... Helps in query formulation. Makes results understandable ... Similar pages

#### The QBIC Project in the Department of Art and Art History at UCD

We have created two QBIC image databases. One is a website linked to the ... When a query is based on any one of these, generally the software will bring ... www.asis.org/annual-97/holt.htm - 22k - Jul 26, 2005 - Cached - Similar pages

#### грьг Retrieving images by 2D shape: a comparison of computation methods ...

File Format: PDF/Adobe Acrobat - View as HTML

account for objects with holes, although none of the query objects will ...

to the twenty test queries presented here, were performed on the QBIC database. ...


cs-www.cs.yale.edu/homes/scaz/papers/almaden.pdf - Similar pages



Result Page:

1 2 3 4 5 6 7 8 9 10

**Next** 



Free! Instantly find your email, files, media and web history. Download now.

query object and QBIC

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google